

Anterior Deltoid Exercises

Advice for Patients with massive rotator cuff tears and after rotator cuff repairs or total shoulder replacement

As a result of prolonged overuse and wear and tear, the muscles arising from the shoulder blade and attaching to the top of your humerus (arm bone) – the rotator cuff muscles - have become torn. This means you are no longer able to easily lift your arm above 90 degrees.

However there is another powerful muscle on the outside of your arm – the deltoid muscle – that may be re-educated to compensate for the torn rotator cuff.


The following exercises should be done three to five times a day to strengthen your deltoid muscle. It will reduce your pain and improve both the range of movement and your arm function.

These exercises must be done for at least 12 weeks and must always be performed starting lying down to begin with. You will be taught the exercise at the unit and reviewed at 6 and 12 weeks.

Exercises:

1

While standing, bend forward and let your arm dangle free and perform gentle pendulum movement for about 5 minutes. This will help you in relieving pain and free up your muscles around the shoulder.



2

Lie down flat on your back, with a pillow supporting your head.


Raise your weak arm to 90 degrees vertical, using the stronger arm to assist if necessary. The elbow should be straight and in line with your ear.

Hold your arm in this upright position with its own strength.



3

Slowly with your fingers, wrist and elbow straight move the arm forwards and backwards in line with the outside of the leg, as per diagram (gentle movement from both sides of the arm upright position.)
Keep the movement smooth and continuous for 5 minutes or until fatigue.



4

As you get more confidence in controlling your shoulder movement, gradually increase the amplitude of movement until your arm will move from the side of your thigh to above your head, touching the bed, and return.


Keep the movement smooth and continuous for 5 minutes or until fatigue.

5

As you get more confidence in controlling your shoulder movement, a lightweight e.g. a tin of beans or small paperweight, should be held in the affected hand.

Gradually increase the amplitude of movement until your arm will move from the side of your thigh to above your head, touching the bed, and return.

Keep the movement smooth and continuous for 5 minutes or until fatigue.




6

Having more confidence in controlling your shoulder movement gradually goes from lying down to sitting and eventually standing.

At this stage you may recline the head of your bed or put some pillows underneath your back to recline your position.

Repeat the same exercises again, this time against some gravity.


Start again from holding your arm in the upright position with its own strength.



As you get more confidence in controlling your shoulder movement, a lightweight e.g. a tin of beans or small paperweight, should be held in the affected hand.

7 Repeat as above.


Start first without any weights and progress to use the same lightweight you used before in the lying down position.



Another useful exercise for re-education of concentric contracture of the deltoid muscle.

Performing the exercise:

8 Make a fist with the hand of the affected side. The flat hand of the opposite side is providing resistance. Push your affected side hand against resistance from the other hand. While doing this, you will notice that you can fully elevate your arm (above your head).



9 Repeat these exercises in order to 'learn' and re-educate your Deltoid muscle to perform this 'concentric contracture' even without pushing against your other arm.

You should repeat these exercises X 10 in a session, 3 to 5 sessions per day.

Stop exercising if your pain increases or you feel unwell.

We will review you at the Reading Shoulder Unit at 6 and 12 weeks.
We expect to see some improvement by that time.

Appointments:

Private:

Professor Ofer Levy, MD MCh(Orth) FRCS

Practice Manager: Cherie Emmitt

Telephone: 07367 582777

e-mail: bm@readingshoulderunit.com

NHS:

Reading Shoulder Unit

NHS Choose & Book -

The Berkshire Independent Hospital

Swallows Croft, Wensley Road,
Reading, RG1 6UZ

Secretary: Helen Henly
Telephone: 0118 902 8109

e-mail: Helen.Henly@ramsayhealth.co.uk

Reading Shoulder Unit

NHS Choose & Book -

Spire Dunedin Hospital

16 Bath Road,
Reading, RG1 6UZ

Secretary: Karen Dawson
Telephone: 0118 955 3496

email: karen.dawson2@spirehealthcare.com

For patient testimonials see website:

<http://www.readingshoulderunit.com/patient-information/feedback>

Industry Relationships

Reading Shoulder Unit surgeons and scientists may collaborate with the pharmaceutical or medical device industries to help develop medical breakthroughs or provide medical expertise or education. Reading Shoulder Unit strives to make scientific advances that will benefit patient care and support outside relationships that promise public benefit. In order for the discoveries of Reading Shoulder Unit surgeons' and scientists' laboratories and investigations to benefit the public, these discoveries must be commercialised in partnership with industry. As experts in their fields, Reading Shoulder Unit surgeons and scientists are often sought after by industry to consult, provide expertise and education. To assure professional and commercial integrity in such matters, Reading Shoulder Unit maintains a program that reviews these collaborations and, when appropriate, puts measures in place to minimise bias that may result from ties to industry. In publicly disclosing this information, the Reading Shoulder Unit tries to provide information as accurately as possible about its surgeons' and scientists' connections with industry.

Professor Levy has a professional relationship with the company that makes the Verso prosthesis. He helped design it and acts as their Chief Medical Advisor and Company Secretary. However, he does not receive any money, royalties, or financial rewards when this device is used. He holds shares in the manufacturing company in lieu of granting the patent. He is telling you this so you have full transparency. He and his team believe that the treatment offered is the best for your specific medical needs, but you are completely free to ask for an alternative or a second opinion

